

# Psychosocial Outcome Severity Guide

## Clarification of Terms

“**Anger**” refers to an emotion caused by the frustrated attempts to attain a goal, or in response to hostile or disturbing actions such as insults, injuries, or threats.

“**Apathy**” refers to a marked indifference to the environment; lack of a response to a situation; lack of interest in or concern for things that others find moving or exciting; absence or suppression of passion, emotion, or excitement.

“**Anxiety**” refers to the apprehensive anticipation of future danger or misfortune accompanied by a feeling of distress, sadness, or somatic symptoms of tension. Somatic symptoms of tension may include, but are not limited to, restlessness, irritability, hyper-vigilance, an exaggerated startle response, increased muscle tone, and teeth grinding. The focus of anticipated danger may be internal or external.

“**Dehumanization**” refers to the deprivation of human qualities or attributes such as individuality, compassion, or civility. Dehumanization is the outcome resulting from having been treated as an inanimate object or as having no emotions, feelings, or sensations.

“**Depressed mood**” (which does not necessarily constitute clinical depression) is indicated by negative statements; self-deprecation; sad facial expressions; crying and tearfulness; withdrawal from activities of interest; and/or reduced social interactions. Some residents such as those with moderate or severe cognitive impairment may be more likely to demonstrate nonverbal symptoms of depression.

“**Humiliation**” refers to a feeling of shame due to being embarrassed, disgraced, or depreciated. Some individuals lose so much self-esteem through humiliation that they become depressed.

## Purpose

The purpose of the Psychosocial Outcome Severity Guide is to help surveyors determine the severity of psychosocial outcomes resulting from identified noncompliance at a specific Ftag. The Guide is used to determine the severity of a deficiency in any regulatory grouping (e.g., Quality of Life, Quality of Care) that resulted in a negative psychosocial outcome.

This Guide is not intended to replace the current scope and severity grid, but rather it is intended to be used in conjunction with the scope and severity grid to determine the severity of outcomes to each resident involved in a deficiency that has resulted in a psychosocial outcome. The team should select the level of severity for the deficiency based on the highest level of physical or psychosocial outcome. For example, a resident who was slapped by a staff member may experience only a minor physical outcome from the slap but suffer a greater psychosocial outcome, *as demonstrated by fear, agitation, and/or isolation*. In this case, the severity level based on the psychosocial outcome would be used as the level of severity for the deficiency.

## Overview

Psychosocial outcomes (e.g., *changes in* mood and/or behavior) may result from a facility's noncompliance with any regulatory requirement. A resident may *have* experienced (or *may have the potential or likelihood to experience*) a negative physical outcome and/or a negative psychosocial outcome *resulting from facility noncompliance*.

Psychosocial and physical outcomes are equally important in determining the severity of noncompliance, and both need to be considered before assigning a severity level. The severity level should reflect the most significant negative outcome or highest level of harm/potential harm.

The presence of a given affect (i.e., behavioral manifestation of mood) does not necessarily indicate a psychosocial outcome that is the direct result of noncompliance. A resident's reactions and responses (or lack thereof) also may be affected by *his/her* pre-existing psychosocial issues, illnesses, medication side effects, and/or other factors. Because many nursing home residents have sadness, anger, loss of self-esteem, etc. in reaction to normal life experiences, the survey team must determine that the *negative* psychosocial outcome is a result of the noncompliance and not a pre-existing condition for the resident.

Psychosocial outcomes *may be the result of* facility noncompliance with any regulation. This also includes psychosocial outcomes resulting from facility failure to assess and develop an adequate care plan to address a resident's pre-existing psychosocial issues, leading to continuation or worsening of the condition.

## Instructions

This Guide is designed to be used separately for each resident included in the deficiency. Each resident's psychosocial response to the noncompliance is the basis for determining psychosocial severity of a deficiency. To determine severity, use the information gathered through the investigative process. Compare the resident's behavior (e.g., their routine, activity, and responses to staff or to everyday situations) and mood before and after the noncompliance.

If the survey team determines that a facility's noncompliance has resulted in a negative psychosocial outcome to one or more residents, the team should use this Guide to evaluate the severity of the outcome for each resident identified in the deficiency. The team should determine severity based *primarily* on the resident's response, *or if appropriate, apply the reasonable person concept to the deficient practice*.

## Application of the Reasonable Person Concept

There are circumstances in which the survey team *should* apply the "reasonable person concept" to determine severity of the deficiency, *such as when a resident's psychosocial outcome may not be readily determined through the investigative process*.

To apply the reasonable person concept, the survey team should determine the severity of the psychosocial outcome or potential outcome the deficiency may have had on a reasonable person in the resident's position (i.e., what degree of actual or potential harm would one expect a reasonable person in a similar situation to suffer as a result of the noncompliance).

**NOTE:** The reasonable person concept described in this Guide is merely a tool to assist the survey team's assessment of the severity level of negative psychosocial outcomes. Although the reasonable person concept is used in many areas of the law, the application of common law defenses to the assessment of severity pursuant to this Guide would be inappropriate and is expressly precluded.

Use the reasonable person concept *to determine* a resident's psychosocial outcome, *which* may not be readily determined. *For example:*

- When *a resident may not be able to express their feelings*, there is no discernable response, or when circumstances *may not permit* the direct evaluation of the resident's psychosocial outcome. Such circumstances may include, but are not limited to, the resident's death, cognitive impairments, physical impairments, or insufficient documentation by the facility; or
- When *a* resident's reaction to a deficient practice is markedly incongruent (*or different*) with the level of reaction a reasonable person would have to the deficient practice.

### ***Severity Levels***

The following are *examples of severity* levels of negative psychosocial outcomes that *could have* developed, continued, or worsened as a result of *a* facility's noncompliance. This Guide is only to be used once the survey team has determined noncompliance at a regulatory requirement. The survey team must have established a connection between the noncompliance and a negative psychosocial outcome to the resident as evidenced by observations, record review, and/or interviews with residents, their representatives, and/or staff.

#### **Severity Level 4 Considerations: Immediate Jeopardy to Resident Health or Safety**

Immediate Jeopardy is a situation in which the facility's noncompliance with one or more requirements of participation *has caused, or is likely to cause, serious injury, harm, impairment, or death to a resident*. Examples of negative psychosocial outcomes as a result of the facility's noncompliance *at severity level four* include, but are not limited to:

- Suicidal ideation/thoughts and preoccupation (with a plan) or suicidal attempt (active or passive) such as trying to jump from a high place, throwing oneself down a flight of stairs, refusing to eat or drink in order to kill oneself.
- Engaging in self-injurious behavior that is likely to cause serious injury, harm, impairment, or death to the resident (e.g., banging head against wall).

- Sustained and intense crying, moaning, screaming, or combative behavior.
- Expressions (verbal and/or non-verbal) of severe, unrelenting, excruciating, and unrelieved pain; pain has become all-consuming and overwhelms the resident.
- Recurrent (i.e., more than isolated or fleeting) debilitating fear/anxiety that may be manifested as panic, immobilization, screaming, and/or extremely aggressive or agitated behavior(s) (e.g., trembling, cowering) in response to an identifiable situation (e.g., approach of a specific staff member).
- Ongoing, persistent expression of dehumanization or humiliation in response to an identifiable situation, that persists regardless of whether the precipitating event(s) has ceased and has resulted in a potentially life-threatening consequence.
- Expressions of anger at an intense and sustained level that has caused or is likely to cause serious injury, harm, impairment, or death to self or others.
- *Extreme changes in social patterns, such as sustained isolation from staff, friends and family for a prolonged period of time.*

**Severity Level 3 Considerations: Actual Harm that is not Immediate Jeopardy**

Severity Level 3 indicates noncompliance that results in actual harm, and can include but may not be limited to clinical compromise, decline, or the resident's inability to maintain and/or reach his/her highest practicable well-being. Examples of negative psychosocial outcomes as a result of the facility's noncompliance *at severity level three* include, but are not limited to:

- Significant decline in former social patterns that does not rise to a level of immediate jeopardy.
- Persistent depressed mood that may be manifested by verbal and nonverbal symptoms such as:
  - Social withdrawal; *apathy*; irritability; anxiety; hopelessness; tearfulness; crying; moaning;
  - Loss of interest or ability to experience or feel pleasure nearly every day for much of the day;
  - Psychomotor agitation (e.g., inability to sit still, pacing, hand-wringing, or pulling or rubbing of the skin, clothing, or other objects), accompanied by a bothered or sad expression;
  - Psychomotor retardation (e.g., slowed speech, thinking, and body movements; increased pauses before answering);

- Verbal agitation (e.g., repeated requests for help, groaning, sighing, or other repeated verbalizations), accompanied by sad facial expressions;
  - Expressions of feelings of worthlessness or excessive guilt nearly every day (not merely self-reproach or guilt about being sick or needing care);
  - Markedly diminished ability to think or concentrate;
  - Recurrent thoughts of death (not just fear of dying) or statements without an intent to act (e.g., “I wish I were dead” or “my family would be better off without me”).
- Expressions (verbal and/or non-verbal) of persistent pain or physical distress (e.g., itching, thirst) that has compromised the resident’s functioning such as diminished level of participation in social interactions and/or ADLs, intermittent crying and moaning, weight loss and/or diminished appetite. Pain or physical distress has become a central focus of the resident’s attention, but it is not all-consuming or overwhelming (as in Severity Level 4).
  - Chronic or recurrent fear/anxiety that has compromised the resident’s well-being and that may be manifested as avoidance of the fear-inducing situation(s) or person(s); preoccupation with fear; resistance to care and/or social interaction; moderate aggressive or agitated behavior(s) related to fear; sleeplessness due to fear; and/or verbal expressions of fear. Expressions of fear/anxiety are not to the level of panic and immobilization (as in Severity Level 4).
  - Ongoing, persistent feeling and/or expression of dehumanization or humiliation that persists regardless of whether the precipitating, dehumanizing event(s) or situation(s) has ceased. These feelings do not result in a life-threatening consequence.
  - Sustained distress (e.g., agitation indicative of under stimulation as manifested by fidgeting; restlessness; repetitive verbalization of not knowing what to do, needing to go to work, and/or needing to find something).
  - Anger that has caused aggression that could lead to injuring self or others. Verbal aggression can be manifested by threatening, screaming, or cursing; physical aggression can be manifested by self-directed responses or hitting, shoving, biting, and scratching others.

**Severity Level 2 Considerations: No Actual Harm with Potential for More Than Minimal Harm that is Not Immediate Jeopardy**

Severity Level 2 indicates noncompliance that results in a resident outcome of no more than minimal discomfort and/or has the potential to compromise the resident's ability to maintain or reach his or her highest practicable level of well-being. The potential exists for greater harm to occur if interventions are not provided. Examples of negative psychosocial outcomes as a result of the facility’s noncompliance *at severity level two* include but are not limited to:

- Intermittent sadness, as reflected in facial expression and/or demeanor, tearfulness, crying, or verbal/vocal agitation (e.g., repeated requests for help, moaning, and sighing).
- Feelings and/or complaints of discomfort or moderate pain. The resident may be irritable and/or express discomfort.
- Fear/anxiety that may be manifested as expressions or signs of minimal discomfort (e.g., verbal expressions of fear/anxiety; pulling away from a feared object or situation) or has the potential, not yet realized, to compromise the resident's well-being.
- Feeling of shame or embarrassment without a loss of interest in the environment and the self.
- Complaints of boredom and/or reports that there is nothing to do, accompanied by expressions of periodic distress that do not result in maladaptive behaviors (e.g., verbal or physical aggression).
- Verbal or nonverbal expressions of anger that did not lead to harm to self or others.

**Severity Level 1 Considerations: No Actual Harm with Potential for Minimal Harm**

Severity Level 1 is not an option because any facility practice that results in a reduction of psychosocial well-being diminishes the resident's quality of life. The deficiency is, therefore, at least a Severity Level 2 because it has the potential for more than minimal harm.

While the survey team may find negative psychosocial outcomes related to any of the regulations, the *following* areas may be more susceptible to a negative psychosocial outcome or contain a psychosocial element that may be greater in severity than the physical outcome. *Areas where the survey team may more likely see psychosocial outcomes when citing a particular deficiency include, but are not limited to:*

*483.10 Resident Rights*

F557, Respect, Dignity/Right to Have Personal Property;  
F558, Reasonable Accommodation of Needs/Preferences;

*483.12 Freedom from Abuse, Neglect, and Exploitation*

F600 Free from Abuse and Neglect;  
F602 Free from Misappropriation/Exploitation;  
F603, Free from Involuntary Seclusion;  
F604, Right to be Free from Physical Restraints;  
F605, Right to be Free from Chemical Restraints;  
F606, Not Employ/Engage Staff with Adverse Actions;  
F607, Develop/Implement Abuse/Neglect, etc. Policies;  
F608, Reporting of Reasonable Suspicion of a Crime;  
F609, Reporting of Alleged Violations;

F610, Investigate/Prevent/Correct Alleged Violation;

*483.21 Comprehensive Resident Centered Care Plans*

F656, Develop/Implement Comprehensive Care Plan;

F657 Care Plan Timing and Revision;

*483.24 Quality of Life*

*F675, Quality of Life*

F679, Activities Meet Interest/Needs of Each Resident;

*483.40 Behavioral Health Services*

F740, Behavioral Health Services;

F741 Sufficient/Competent Staff – Behavioral Health Needs;

F742, Treatment/Services for Mental/Psychosocial Concerns;

F743, No Pattern of Behavioral Difficulties Unless Unavoidable;

F745, Provision of Medically Related Social Services;

*483.45 Pharmacy Services*

F757, Drug Regimen is Free From Unnecessary Drugs; and

F758, Free from Unnecessary Psychotropic Medications/PRN Use.